

#### **MATERIAL SAFETY DATA SHEET**

#### Section 1: IDENTIFICATION

Name: Strep B Device

Description: For Use With Vaginal/Rectal Swabs For Women Or Swabs For New Born

Manufacturer: Prestige Diagnostics U.K Ltd.,

40/41 Ballymena Business Centre Galgorm, Co.Antrim, BT42 1FL +44(0)28 2564 2100

Cat No.: RADSTB1

### Section 2: CHEMICAL COMPOSITION

All components contain preparations and are therefore not listed in CAS

		•
COMPONENT	SIZE	DESCRIPTION
Test Device	20 test	This product comprises a mixture of
	devices,	components in an in vitro diagnostic medical
	individually	device. Each test device is impregnated with
	sealed in	dry chemicals and biochemical reagents.
	pouches.	

### Section 3: HAZARDS IDENTIFICATION

Hazardous components	None
Physical Hazards	None
Potential Health Effects Summary	None
Product Hazard Classifications	None

### Section 4: FIRST AID MEASURES

The following first aid measures are only relevant in the event of serious misuse, whereby the device is disassembled and there is exposure to the chemicals in the device.

After skin contact	Not Applicable
After eye contact	Not Applicable
After ingestion	Not Applicable

### Section 5: FIRE FIGHTING MEASURES

Flash Point:	Not Applicable
Flammable Limits:	Not Applicable
Fiammable Limits:	Not Applicable
Autoignition Temperature:	Not Applicable
Extinguisher Media:	Not Applicable
Special Fire and Explosion Hazards:	Not Applicable
Hazardous Combustion	Not Applicable
Products:	
Protective Equipment for Firefighter:	Not Applicable

Prestige Diagnostics U.K. Ltd 40 Ballymena Business Centre, Galgorm, Co. Antrim, BT42 1FL, United Kingdom.

Tel: +44 (0) 28 2564 2100

www.prestigediagnostics.co.uk

Ver2. Mar 2015



### Section 6: ACCIDENTAL RELEASE MEASURES

Personal safety precautions	Not Applicable
Spill and leak procedures	Not Applicable
Environmental precautions	Not Applicable

### Section 7: HANDLING AND STORAGE

Precautions to be taken in handling and storage	Not Applicable
Requirements to be met by storage conditions	Store at 2 – 30°C
Other precautions/Special Hazards	Not Applicable

### Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

The product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.

Exposure Limits US OSHA, ACGIH, DFG MAK:	Not Applicable
Personal protective equipment	Chemical resistant gloves, safety glasses, other protective clothing
Engineering controls:	Not Applicable
Skin Protection:	Not Applicable

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

F	T = 1.1
Physical State	Solid
Appearance	Laminated test device
Odour	Odourless
Flash Point	Not Applicable
Self-ignition	The product is not self-igniting
Danger of explosion	The product does not present an explosion hazard
Melting Point/Boiling Point	Not Applicable / Not Applicable
Vapour Pressure	Not Applicable
Density (20 °C)	Not Applicable
pH value at 20°C	Not Applicable
Solubility in water	Not soluble

# Section 10: STABILITY AND REACTIVITY

Stability	Stable under conditions of use until the
	expiration date on the corresponding label
Hazardous Decomposition	None known
Products	

Prestige Diagnostics U.K. Ltd 40 Ballymena Business Centre, Galgorm, Co. Antrim, BT42 1FL, United Kingdom.

Tel: +44 (0) 28 2564 2100 www.prestigediagnostics.co.uk

Ver2. Mar 2015



### Section 11: TOXICOLOGICAL INFORMATION

Toxicity data for hazardous ingredients	Not Applicable
Primary routes of exposure	Not Applicable
Potential effects of acute exposure	Not Applicable
Potential effects of chronic exposure	Not Applicable
Symptoms of exposure	Not Applicable
Chronic Toxicity / Carcinogenicity	Not Applicable
Other effects	Not Applicable

#### Section 12: ECOLOGICAL INFORMATION

Environmental precautions	Not Applicable

# Section 13: DISPOSAL CONSIDERATIONS

General requirements	Chemical residues and remains should be
	routinely handled as special waste. This must
	be disposed of in compliance with anti-
	pollution and other laws of the country
	concerned. To ensure compliance we
	recommend that you contact the relevant
	(local) authorities and/or an approved waste-
	disposal company for information.

### **Section 14: TRANSPORT INFORMATION**

The product is not affected by the current rules for transport of hazardous goods (GGVS/ADR, GGVE/RID, IMDG, IATA/ICAO).

## Section 15: REGULATORY INFORMATION

The product is not classified as a dangerous preparation according to 1999/45/EC and 67/548/EEC and 2001/58/EC.

## **Section 16: OTHER INFORMATION**

The above mentioned information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Prestige Diagnostics UK Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

Prestige Diagnostics U.K. Ltd 40 Ballymena Business Centre, Galgorm, Co. Antrim, BT42 1FL, United Kingdom. Tel: +44 (0) 28 2564 2100 www.prestigediagnostics.co.uk info@prestigediagnostics.co.uk Ver2. Mar 2015