

MATERIAL SAFETY DATA SHEET

Section 1: IDENTIFICATION

Name: CEA Device Test Buffer

Description: CEA Test Buffer

Manufacturer: Prestige Diagnostics U.K Ltd.,

40/41 Ballymena Business Centre Galgorm, Co.Antrim, BT42 1FL

+44(0)28 2564 2100

Cat No.: RADCEA1

Section 2: CHEMICAL COMPOSITION

CAS-No	NAME	CONCENTRATION
Not Applicable	Not Applicable	The product is a mixture

Section 3: HAZARDS IDENTIFICATION

Hazardous components	None
Physical Hazards	None
Potential Health Effects Summary	None
Product Hazard Classifications	This product is not classified as a dangerous preparation according to 1999/45/EC.

Section 4: FIRST AID MEASURES

The following first aid measures are only relevant in the event of serious misuse.

After skin contact	Wash thoroughly with soap and plenty of water.
After eye contact	Rinse opened eye for several minutes under running water.
After ingestion	If desiccant or other components are swallowed seek medical attention.

Section 5: FIRE FIGHTING MEASURES

Flash Point:	Not Applicable
Flammable Limits:	Not Applicable
Autoignition Temperature:	Not Applicable
Extinguisher Media:	Not Applicable
Special Fire and Explosion Hazards:	Not Applicable
Hazardous Combustion Products:	Not Applicable
Protective Equipment for Firefighter:	Not Applicable

Prestige Diagnostics U.K. Ltd 40 Ballymena Business Centre, Galgorm, Co. Antrim, BT42 1FL, United Kingdom.

Tel: +44 (0) 28 2564 2100

www.prestigediagnostics.co.uk

Ver2. Mar 2015



Section 6: ACCIDENTAL RELEASE MEASURES

Personal safety precautions	Not Applicable
Spill and leak procedures	Not Applicable
Environmental precautions	Not Applicable

Section 7: HANDLING AND STORAGE

Precautions to be taken in handling and storage	Not Applicable
Requirements to be met by storage conditions	Store at 2 – 30°C
Other precautions/Special Hazards	Not Applicable

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

The product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.

Exposure Limits	Not Applicable
US OSHA, ACGIH, DFG MAK:	
Personal protective equipment	Chemical resistant gloves, safety glasses, other
	protective clothing
Engineering controls:	Not Applicable
Skin Protection:	Not Applicable

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Transparent and clear
Odour	Odourless
Flash Point	Not Applicable
Self-ignition	The product is not self-igniting
Danger of explosion	The product does not present an explosion hazard
Melting Point/Boiling Point	0°C (similar to water) / 100°C (similar to water)
Vapour Pressure	23 hPa (similar to water)
Density (20 °C)	1.01 g/cm ³
pH value at 20°C	7.4
Solubility in water	Fully miscible

Section 10: STABILITY AND REACTIVITY

Stability	Stable under conditions of use until the
	expiration date on the corresponding label
Hazardous Decomposition	None known
Products	

Prestige Diagnostics U.K. Ltd 40 Ballymena Business Centre, Galgorm, Co. Antrim, BT42 1FL, United Kingdom. Tel: +44 (0) 28 2564 2100 www.prestigediagnostics.co.uk info@prestigediagnostics.co.uk Ver2. Mar 2015



Section 11: TOXICOLOGICAL INFORMATION

Toxicity data for hazardous ingredients	Not Applicable
Primary routes of exposure	Not Applicable
Potential effects of acute exposure	Not Applicable
Potential effects of chronic exposure	Not Applicable
Symptoms of exposure	Not Applicable
Chronic Toxicity / Carcinogenicity	Not Applicable
Other effects	Not Applicable

Section 12: ECOLOGICAL INFORMATION

Environmental precautions	Not Applicable

Section 13: DISPOSAL CONSIDERATIONS

General requirements	Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with antipollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-
	disposal company for information.

Section 14: TRANSPORT INFORMATION

The product is not affected by the current rules for transport of hazardous goods (GGVS/ADR, GGVE/RID, IMDG, IATA/ICAO).

Section 15: REGULATORY INFORMATION

The product is not classified as a dangerous preparation according to 1999/45/EC and 67/548/EEC and 2001/58/EC.

Section 16: OTHER INFORMATION

The above mentioned information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Prestige Diagnostics UK Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

Prestige Diagnostics U.K. Ltd 40 Ballymena Business Centre, Galgorm, Co. Antrim, BT42 1FL, United Kingdom. Tel: +44 (0) 28 2564 2100 www.prestigediagnostics.co.uk info@prestigediagnostics.co.uk Ver2. Mar 2015